

INDEX

- **03** OUR STORY/DESIGN FIRE
- **04** BEV® TECHNOLOGY
- 05 NET ZERO®
- **06** AUTOMATIC BEV® FIREPLACES



BEV® TECHNOLOGY

GAME-CHANGING INNOVATION IN FIREPLACE INDUSTRY

The BEV® technology is the most advanced technology on the fireplace market and it has revolutionized the industry. It is now possible to have a line of fire in a media wall under TV, in an apartment on a higher floor, arranged as a room divider or even on a yacht. For years now, this innovative solution has been taking projects with real fire to the next level. You can use fireplaces with the BEV® technology anywhere you want, without any limitations. It is manufactured according to UL standards and is O-TL certified, meeting the most demanding safety and quality requirements.

PLANIKA AUTOMATIC FIRE



HOW DOES THE BEV® TECHNOLOGY WORK?

The entire burning process is fully automated. The fireplace takes only the required amount of fuel from the tank and the pump transports it to the combustion chamber. The bioethanol is vapourised and distributed along the entire length of the burner where it is then combusted. The fire does not come in any direct contact with the liquid fuel. Thanks to the isolated fuel tank, the cooling fans and the combustion chamber, the temperature of the ethanol fuel is always low and safe.

The microprocessor communicates with many sensors inside the fireplace and controls its entire operation. The fireplace informs you of any actions with a sound signal and a message in the mobile app. The convenient remote control of the fireplace eliminates any risk of human error.

NET ZERO®

CARBON NEUTRAL SOLUTION FOR PREMIUM DESIGN


Planika's mission is to create safe fireplaces that leave little to no impact on the environment. Our automatic fireplaces with the BEV® technology are fuelled with bioethanol - organic eco-fuel. This allows to use our products where traditional fireplaces are prohibited by the environmental restrictions. Planika has developed the cutting-edge solution - the true CO_2 - neutral fireplaces of the future

WHAT IS FANOLA FUEL?



- √ 96% ethanol concentration
- ✓ odourless and clean combustion
- ✓ plant-origin distillate
- particulate-free
- ✓ multi-distillated
- pharmaceutical quality
- 🧹 natural, golden flame

HOW ARE PLANIKA'S BEV® FIREPLACES CO, NEURAL?



Planika's fireplaces utilize multi-rectified bioethanol which is made from plants, such as wheat, corn or potatoes. The BEV® Technology turns liquid fuel into ethanol vapours to provide the safest combustion process

and the most natural fire. The clean burning of ethanol vapours emits only a small amount of ${\rm CO}_2$ – similar to that exhaled by a human. No ash, soot, or smoke are produced. 100% of the emissions are absorbed by the same plants that are used to produce the biofuel. This way the carbon emission process comes full circle.



WORK WITH PROFFESIONALS



TECHNICAL TRAININGS



ARCHITECT ZONE WITH 3D MODELS



PROJECT SUPPORT






AUTOMATIC ETHANOL BURNER (Net Zero® fireplace with BEV® Technology)

INDOOR ETHANOL FIRES


AUTOMATIC ETHANOL FIREPLACE (Net Zero® fireplace with BEV® Technology)



FIRE LINE AUTOMATIC 3 (FLA3 BURNER)



FIRE LINE AUTOMATIC 3+ (FLA3+ BURNER)



FEATURES


- Automatic refilling system
- Remote control
- Wi-Fi
- 6 levels of flame
- Safety sensors
- Variant with larger fuel tank (FLA3+)
- Smart Home System compatible
- Top finish:
 - -Black powder coating (standard)
 - -Stainless steel (optional)
 - -RAL colour (optional)

OPTIONAL ACCESSORIES

- Glass screens
- Decorative tray with logs or stones
- Smart Home System module


ARRANGEMENT OPTIONS















1190 mm 1490 mm 1990 mm 2490 mm 790 mm 990 mm max. 4.4 kW max. 7.0 kW max. 9.4 kW max. 13.0 kW max. 18.0 kW max. 22.5 kW 4.3 L / 14.7 L 6.8 L / 21.0 L 8.6 L / 26.8 L 11.7 L / 36.3 L 14.8 L / 45.9 L max. 9.0 h / 29.0 h max. 10.0 h / 31.0 h max. 11.0 h / 35.0 h max. 11.0 h / 35.0 h max. 12.0 h / 36.0 h max. 12.0 h / 36.0 h min 70 m³ min 44 m³ min 94 m³ min. 130 m³ min. 180 m³ $\mathsf{min.}\ 225\ \mathsf{m}^3$ 24.1 kg / 32.0 kg 27.5 kg / 38.5 kg 33.0 kg / 44.0 kg 39.5 kg / 52.5 kg 49.5 kg / 67.5 kg 58.5 kg / 81.5 kg 230 V

FORMA FIREPLACE (with FLA3 / FLA3+ burner)



FEATURES

- FLA3/FLA3+ technical features
- Zero clearance installation in combustible materials
- Heat deflector mount TV above the fireplace
- 6 lenghts and 7 arrangement options
- Easy installation
- Higher side glass panels available in Tunnel, Room Divider and Island models

OPTIONAL ACCESSORIES

- Decorative tray with logs or stones
- Smart Home System module

ARRANGEMENT OPTIONS



SINGLE-SIDED









THREE-SIDED







ISLAND

ROOM DIVIDER

FORMA FIREPLACE WITH FLA3 / FLA3+ BURNER BURNER 990 mm BURNER 1190 mm BURNER 1490 mm BURNER 1990 mm BURNER 2490 mm FIREPLACE 1000 mm FIREPLACE 1200 mm FIREPLACE 1500 mm FIREPLACE 1800 mm FIREPLACE 2300 mm FIREPLACE 2700 mm FLA3 11.7 L FLA3 4.3 L FLA3 5.5 L FLA3 6.8 L FLA3 8.6 L FLA3 14.8 L FLA3+ 13.4 L FLA3+ 17.2 L FLA3+ 21.0 L FLA3+ 26.8 L FLA3+ 36.3 L FLA3+ 45.9 L FLA3 max. 9.0 h FLA3 max. 10.0 h FLA3 max. 11.0 h FLA3 max. 11.0 h FLA3 max. 12.0 h FLA3 max. 12.0 h FLA3+ max. 29.0 h FLA3+ max. 31.0 h FLA3+ max. 35.0 h FLA3+ max. 35.0 h FLA3+ max. 36.0 h FLA3+ max. 36.0 h min. 44 m³min. 70 m³ $min.\ 94\ m^3$ min. 130 m³ min. 180 m³ $\mathsf{min.}\ 225\ \mathsf{m}^3$ 230 V



























AUTOMATIC ETHANOL BURNER (Net Zero® fireplace with BEV® Technology)



PANORAMA FIREPLACE



FEATURES

- Automatic refilling system
- External control panel
- Remote control
- Wi-Fi
- 6 levels of flame
- Safety sensors
- Glass enclosed
- Glass foam granulate included
- Zero clearance
- Finish: black powder coating
- Smart Home System compatible


OPTIONAL ACCESSORIES


- Decorative logs or stones
- Smart Home System module





	PANORAMA
MARINA	BURNER 990 mm
+ () +	max. 7.0 kW
	5.51
	max. 10.0 h
1	min. 70 m ³
, išk	230 V





BEV BURNING ETHANOL VAPOURS TECHNOLOGY

AUTOMATIC ETHANOL BURNER (Net Zero® fireplace with BEV® Technology)

STONE CORE



FEATURES

- Automatic refilling system
- Remote control
- Wi-Fi
- 6 levels of flame
- Safety sensors
- Glass enclosed
- Glass foam granulate included
- Smart Home System compatible

OPTIONAL ACCESSORIES

• Smart Home System module

AVAILABLE FINISHING VARIANTS

- 3 finishing options by Cosentino: Silestone Gris or Dekton Laurent and Daze
- Stone Core for custom-build housing

ULTRACOMPACT STONE BY COSENTINO

STONE GRIS / LAURENT / DAZE



	STONE CORE / GRIS / LAURENT / DAZE			
+4+	max. 5 kW			
	13,4 L			
L	max. 29 h			
‡	min. 50 m³			
× ×	230 V			



BEV BURNING ETHANOL VAPOURS TECHNOLOGY

AUTOMATIC ETHANOL BURNER (Net Zero® fireplace with BEV® Technology)

ROCK CORE



FEATURES

- Easy refilling replacable canister
- Remote control
- 2 levels of flame
- Safety sensors
- Glass enclosed
- Glass foam granulate included

AVAILABLE FINISHING VARIANTS

- 3 finishing options by Cosentino:
 Silestone Gris or Dekton Laurent and Daze
- Rock Stone Core for custom-build housing

ULTRACOMPACT STONE BY COSENTINO

ROCK GRIS / LAURENT / DAZE



	ROCK CORE / GRIS / LAURENT / DAZE			
+4+	max. 3.5 kW			
	51			
	max. 33 h			
	min. 35 m ³			
X.	230 V			



BURNING ETHANOL VAPOURS TECHNOLOGY

AUTOMATIC ETHANOL BURNER (Net Zero® fireplace with BEV® Technology)

PRIME FIRE 700 BURNER



FEATURES

- Automatic refilling system
- Remote control
- 2 levels of flame
- Safety sensors
- Top finish: black powder coating

OPTIONAL ACCESSORIES

• Glass screens

PRIME FIRE 990+ BURNER



FEATURES

- Automatic refilling system
- Remote control
- 2 levels of flame
- Safety sensors
- Top finish: black powder coating


OPTIONAL ACCESSORIES

- Glass screens
- Decorative tray with logs or stones

ARRANGEMENT OPTIONS


















PRIME FIRE 700 BURNER max. 4.4 kW max. 7.0 kW 1.9 L max. 4.5 h max. 10.0 h min. 44 m³ $min.\,70\;m^3$ 12.3 kg 27.5 kg 230 V

INDOOR ETHANOL FIRES

AUTOMATIC ETHANOL FIREPLACE (Net Zero® fireplace with BEV® Technology)

PRIME FIRE 700 FIREPLACE



FEATURES

- Prime Fire 700 technical features
- Automatic refilling system
- Remote control
- 2 levels of flame
- Safety sensors
- Finish: black powder coating

OPTIONAL ACCESSORIES

• Decorative frame

FORMA FIREPLACE (with Prime Fire 990+ burner)



- Prime Fire 990+ technical features
- Automatic refilling system
- Remote control
- 2 levels of flame
- Safety sensors
- Zero clearance
- Finish: black powder coating

OPTIONAL ACCESSORIES

• Decorative tray with logs or stones

ARRANGEMENT OPTIONS (for Forma Fireplace with Prime Fire 990+ Burner)





LEFT CORNER













	PRIME FIRE 700 FIREPLACE	FORMA FIREPLACE WITH PF 990+ BURNER	
MARKETTE	burner 700 mm $/$ Fireplace 784 mm	BURNER 990 mm / FIREPLACE 1200 mm	
+ 4 +	max. 4.4 kW	max. 7.0 kW	
6	1.9 L	5.51	
L	max. 4.5 h	max. 10.0 h	
	$\text{min.}44\text{m}^3$	min. 70 m³	
i	18.0 kg	~71 kg	
×.	230 V		







BURNING ETHANOL VAPOURS TECHNOLOGY

AUTOMATIC ETHANOL BURNER (Net Zero® fireplace with BEV® Technology)

AUTOMATIC ETHANOL FIREPLACE (Net Zero® fireplace with BEV® Technology)

INDOOR ETHANOL FIRES

BOX DAZE / LAURENT

RONDO AUTOMATIC BURNER



FEATURES

- Automatic refilling system
- Remote control
- Wi-Fi
- 6 levels of flame
- Safety sensors
- Top finish: black powder coating
- Smart Home System compatibile

OPTIONAL ACCESSORIES

• Smart Home System module

	RONDO AUTOMATIC			
+4+	max. 3.1 kW			
٥	4,5 L			
	max. 30 h			
	min. 31 m³			
, K	230 V			



FEATURES

- 4 burner options:
 - FLA3 990
 - FLA3+ 990
 - Prime Fire 700
 - Prime Fire 990+
- Technical features of chosen burner
- 4 high glass panels included to stabilize the fire
- Freestanding
- Remote Control
- Finishing options by Cosentiono: Dekton Daze or Laurent

ULTRACOMPACT STONE BY COSENTINO



	BOX DAZE / BOX LAURENT			
**********				PRIME FIRE 990+
+4+	max. 7.0 kW	max. 7.0 kW	max. 4.4 kW	max. 7.0 kW
6	5.5 L	17.2 L	1.9 L	5.5 L
l o	max. 10.0 h	max. 31.0 h	max. 4.5 h	max. 10.0 h
	min. 70 m ³	min. 70 m ³	min. 44 m³	min. 70 m³
i	81.5 kg	92.5 kg	66.3 kg	81.5 kg
Ž.	230 V			



AUTOMATIC ETHANOL BURNER (Net Zero® fireplace with BEV® Technology)



NEO BURNER



FFATURES

- Automatic refilling system
- Remote control
- 2 levels of flame
- Safety sensors

OPTIONAL ACCESSORIES

• Decorative grate with logs

NEO FIREPLACE



FEATURES

- Zero clearance
- Automatic refilling system
- Remote control
- 2 levels of flame
- Safety sensors

DETACHABLE SIDE PANELS







OPTIONAL ACCESSORIES

Decorative grate with logs

	NEO BURNER	NEO FIREPLACE	
+4+	5 kW	5 kW	
**	2.6 L	2.61	
	4.5 h	4.5 h	
1	min. 50 m ³	min. 50 m ³	
i	14.5 kg	29.5 kg	
, K	230 V		



BEV BURNING ETHANOL VAPOURS TECHNOLOGY

AUTOMATIC ETHANOL BURNER (Net Zero® fireplace with BEV® Technology)

SENSO BURNER



FEATURES

- Automatic refilling system
- Remote control
- 2 levels of flame
- Safety sensors

OPTIONAL ACCESSORIES

• Decorative grate with logs

SENSO BASKET



FEATURES

- Automatic refilling system
- Remote contro
- 2 levels of flame
- Safety sensors
- Decorative grate with logs included

SENSO FIREPLACE



FEATURES

- Automatic refilling system
- Remote control
- 2 levels of flame
- Safety sensors

DETACHABLE SIDE PANELS







OPTIONAL ACCESSORIES

• Decorative grate with logs

	SENSO BURNER	SENSO BASKET	SENSO FIREPLACE
+4+	max. 2,5 kW	max. 2,5 kVV	max. 2,5 kW
+ • ••	1.3 L	1.3 L	1.3 L
L	max. 4.5 h	max. 4.5 h	max. 4.5 h
	min. $25\ m^3$	min. 25 m ³	min. 25 m³
	10 kg	13 kg	23 kg
×.	230 V	230 V	230 V





AUTOMATIC ETHANOL BURNER (Net Zero® fireplace with BEV® Technology)



BASKET FIRE LOGS



FEATURES

- Automatic refilling system
- Freestanding
- Remote control
- 2 levels of flame
- Safety sensors
- Finish: black powder coating

OPTIONAL ACCESSORIES

Decorative grate

SCANDI



FFATURES

- Removable fuel tank
- Freestanding
- Flue connector (For optional heat extraction)
- Remote control
- 2 levels of flame
- Safety sensors
- Finish: black powder coating

OPTIONAL ACCESSORIES

Decorative logs or pebbles

	BASKET FIRE LOGS	SCANDI
+4+	max. 2.8 kW	max. 4.1 kW
٥	1.75 L	5.0 L
	max. 6.5 h	max. 33 h
:	min. 28 m³	min. 41 m³
	14.5 kg	62.0 kg
<i>K</i>	230 V	





37

BEV BURNING ETHANOL VAPOURS TECHNOLOGY

AUTOMATIC ETHANOL BURNER (Net Zero® fireplace with BEV® Technology)

L-FIRE BURNER



FEATURES

- Automatic refilling system
- Remote control
- 2 levels of flame
- Safety sensors
- Finish: black powder coating

L-FIRE FIREPLACE



FEATURES

- Automatic refilling system
- Remote control
- 2 levels of flame
- Safety sensors
- Finish: black powder coating

OPTIONAL ACCESSORIES

• Optional frame or frame + mesh

PURE FLAME FIREPLACE



FEATURES

- Automatic refilling system
- Insert for installation in furniture
- Remote control
- 2 levels of flame
- Safety sensors
- Finish: black powder coating

	L-FIRE BURNER	L-FIRE FIREPLACE	PURE FLAME FIREPLACE
+4+	max. 4.4 kW	max. 4.4 kW	max. 5 kW
۵	6.01	6.01	5.0 L
	max. 13 h	max. 13 h	max. 12.0 h
1	min. $44 \mathrm{m}^3$	$\text{min.}44\text{m}^3$	min. $50~\mathrm{m}^3$
	15.2 kg	27 kg	18.6 kg
, K		230 V	



